

W	1	L	D	0	0	6	7	2	6	8	3	2	1
1	2	3	4	5	6	7	8	9	10	11	12	13	14

IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)

A. HAZARDOUS WASTES FROM NON-SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.31 for each listed hazardous waste from non-specific sources your installation handles. Use additional sheets if necessary.

1 F 0 0 1 23 - 26	2 F 0 1 7 23 - 26	3 23 - 26	4 23 - 26	5 23 - 26	6 23 - 26
7 23 - 26	8 23 - 26	9 23 - 26	10 23 - 26	11 23 - 26	12 23 - 26

B. HAZARDOUS WASTES FROM SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.

13 23 - 26	14 23 - 26	15 23 - 26	16 23 - 26	17 23 - 26	18 23 - 26
19 23 - 26	20 23 - 26	21 23 - 26	22 23 - 26	23 23 - 26	24 23 - 26
25 23 - 26	26 23 - 26	27 23 - 26	28 23 - 26	29 23 - 26	30 23 - 26

C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES. Enter the four-digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.

31 23 - 26	32 23 - 26	33 23 - 26	34 23 - 26	35 23 - 26	36 23 - 26
37 23 - 26	38 23 - 26	39 23 - 26	40 23 - 26	41 23 - 26	42 23 - 26
43 23 - 26	44 23 - 26	45 23 - 26	46 23 - 26	47 23 - 26	48 23 - 26

D. LISTED INFECTIOUS WASTES. Enter the four-digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.

49 23 - 26	50 23 - 26	51 23 - 26	52 23 - 26	53 23 - 26	54 23 - 26
---------------	---------------	---------------	---------------	---------------	---------------

E. CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES. Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 - 261.24.)

☐ 1. IGNITABLE
(D001)

☐ 2. CORROSIVE
(D002)

☐ 3. REACTIVE
(D003)

☐ 4. TOXIC
(D000)
X. CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE 	NAME & OFFICIAL TITLE (type or print) A. BOCHENEK GENERAL MANAGER	DATE SIGNED 8/5/80
--	--	-----------------------

S	W	I	L	D	0	8	6	9	0	7	9	4	6	T/A	C
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)

A. HAZARDOUS WASTES FROM NON-SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.31 for each listed hazardous waste from non-specific sources your installation handles. Use additional sheets if necessary.

1 F 0 0 1 23 - 26	2 23 - 26	3 23 - 26	4 23 - 26	5 23 - 26	6 23 - 26
7 23 - 26	8 23 - 26	9 23 - 26	10 23 - 26	11 23 - 26	12 23 - 26

B. HAZARDOUS WASTES FROM SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.

13 23 - 26	14 23 - 26	15 23 - 26	16 23 - 26	17 23 - 26	18 23 - 26
19 23 - 26	20 23 - 26	21 23 - 26	22 23 - 26	23 23 - 26	24 23 - 26
25 23 - 26	26 23 - 26	27 23 - 26	28 23 - 26	29 23 - 26	30 23 - 26

C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES. Enter the four-digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.

31 23 - 26	32 23 - 26	33 23 - 26	34 23 - 26	35 23 - 26	36 23 - 26
37 23 - 26	38 23 - 26	39 23 - 26	40 23 - 26	41 23 - 26	42 23 - 26
43 23 - 26	44 23 - 26	45 23 - 26	46 23 - 26	47 23 - 26	48 23 - 26

D. LISTED INFECTIOUS WASTES. Enter the four-digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.

49 23 - 26	50 23 - 26	51 23 - 26	52 23 - 26	53 23 - 26	54 23 - 26
---------------	---------------	---------------	---------------	---------------	---------------

E. CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES. Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 - 261.24.)

☐ 1. IGNITABLE
(D001)

☐ 2. CORROSIVE
(D002)

☐ 3. REACTIVE
(D003)

☐ 4. TOXIC
(D000)
X. CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE


NAME & OFFICIAL TITLE (type or print)

DATE SIGNED

A. BOCHENEK - GENERAL MANAGER

EPA Form 8700-12 (6-80) REVERSE

This filing amends filing dated August 5, 1980 by removing hazardous waste from non-specific sources F017. A subsequent EP Toxicity Test and Evaluation by independent testing laboratory discloses the material was improperly classified as hazardous waste.



3158 E. KOLIN AVENUE
CHICAGO, ILL. 60623
(312) 254-2406

Scientific
CONTROL LABORATORIES, INC.
TESTING • RESEARCH • CONSULTING

REPORT TO: McDonnell and Miller ITT
3500 N. Spaulding Avenue
Chicago, Illinois 60618

ATTENTION: Mr. R. Radtke

ORDER NO.: 34312

REPORT NO.: 7-381

SPECIFICATION NO.:

RECEIVED: 10-10-80

TYPE TEST: EP Toxicity Test

REPORTED: 10-15-80

IDENTIFICATION OF MATERIAL

One (1) sample was tested for EP Toxicity per the procedure in 45CFR (98)
dated 5/19/80. PAINT RESIDUE

RESULTS:


<u>Parameters</u>	<u>EPA Hazardous Waste No.</u>	<u>Maximum Allowable Concentration (mg/l)</u>	<u>Analysis (mg/l)</u>
Arsenic	D004	5.0	<.1
Barium	D005	100.0	0.7
Cadmium	D006	1.0	<.1
Chromium	D007	5.0	<.1
Lead	D008	5.0	<.1
Mercury	D009	0.2	.003
Selenium	D010	1.0	<.1
Silver	D011	5.0	<.1

Respectfully submitted,

SCIENTIFIC CONTROL LABORATORIES, INC.


FA:amb
2 c

By


Frank Altmayer

CERTIFICATION

The above statements and report were subscribed and sworn to before me this
FIFTEENTH day of OCTOBER, 1980.


Notary Public



McDonnell & Miller

*A Unit of International
Telephone and Telegraph Corporation*

*3500 N. Spaulding Ave.
Chicago, Illinois 60618
(312) 267-1600
Telex 25-3376*

December 3, 1980

E P A REGION V
RCRA Activities
P. O. Box 7861
Chicago, Illinois 60680

Gentlemen:

This filing amends filing dated August 5, 1980 by removing hazardous waste from non-specific sources F017.

A subsequent EP Toxicity Test and Evaluation by independent testing laboratory discloses the material was improperly classified as hazardous waste.

A copy of the test results are attached.

Yours very truly,
ITT McDONNELL & MILLER

By

A handwritten signature in cursive script, appearing to read 'A. L. Bochenek'.

A. L. Bochenek

ALB/lp

Attachment



ACKNOWLEDGEMENT OF NOTIFICATION
OF HAZARDOUS WASTE ACTIVITY
(VERIFICATION)

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER

ILD000672683

REACKNOWLEDGEMENT

ITT MCDONNELL & MILLER
3500 N SPAULDING AVE
CHICAGO

IL 60618

INSTALLATION ADDRESS

3500 N SPAULDING AVE
CHICAGO

IL 60618

